




Offered by  
**LASER LAB SOURCE**

manufactured by  
**Xinghan  
Laser Technology**

## 915nm, 80W Laser Diode Module, 105 $\mu$ m Fiber-Core



### **915NM, 80W LASER DIODE**

- o Output Power (CW mode): 80 W
- o Spectral Width (FWHM): <6 nm
- o High Heat Load Package
- o Optical Fiber-Coupled, 105 $\mu$ m Core
- o Bare-Fiber Termination




## HIGH POWER 915NM LASER DIODE MODULE, 105 $\mu$ m FIBER

These high power 915nm laser diodes are packaged in a high heat-load package. The package is designed to easily mount to a heatsink.

The laser is provided with 105 $\mu$ m core optical-core fiber (NA 0.22), with a bare-fiber / SC ceramic ferrule termination.

Xinghan lasers are known for their robust construction, and long operational life-times.





### OPTICAL PARAMETERS

- Output Power: 80 Watts
- Center Wavelength: 915 nm (900nm ~ 930nm)
- 95% Power in NA: 0.17 NA
- Back Reflection Isolation Range: 1040 - 1200 nm
- Back Reflection Isolation: 30 dB
- Wavelength Tuning Coefficient: 0.35 nm / °C



### FIBER PARAMETERS

- Fiber Core Diameter: 105 µm
- Fiber Clad Diameter: 125 µm
- Numerical Aperture: 0.22 NA
- Fiber Length: 2 meters
- Loose Tubing Diameter: 900 µm
- Loose Tubing length: ~ 1.5 meters
- Fiber Connector: (none) Bare Fiber
- Fiber Bend Radius: 30 mm

### ELECTRICAL PARAMETERS

- Electrical to Optical Conversion Efficiency: 48%
- Typical Threshold Current: 1.1 A
- Typical Operating Current: 16.5 Amps
- Maximum Operational Voltage: 11 Volts

### THERMAL PARAMETERS

- Operating Temperature Range: 15°C - 50°C
- Storage Temperature Range: -30°C - 85°C
- Lead Soldering Temperature: 300°C (max)
- Lead Soldering Time: 10 seconds



Offered by  
**LASER LAB SOURCE**

*manufactured by* **Xinghan  
Laser Technology**

## **PRODUCT SALES AND SERVICE:**

Orders for this product are fulfilled by Laser Lab Source in North America and select International regions. It is manufactured by RealLight, Beijing, China.

## **PRODUCT WARRANTY:**

This product is sold with a full one year warranty. It is warranted to be free from defects in material and/or workmanship for a period of one year from the date of shipment.



Laser Lab Source, a division of Research Lab Source Inc.  
670 S. Ferguson St., Suite 3  
Bozeman, MT 59718 USA

Phone: 406-219-1472

[www.LaserLabSource.com](http://www.LaserLabSource.com)

**Xinghan  
Laser Technology**

Xinghan Laser Technology  
5 Floors, B4 Block, Xujingchang Industrial Park  
No. 39 Haoye Road, Xinhe community, Fuhai street  
Bao 'an district, Shenzhen, P.R. of China 518103