




Offered by
LASER LAB SOURCE

manufactured by **AeroDIODE**

940nm 30W Laser Diode Module 30W Fiber-Coupled Module



940LD-3-0-0 / LASER-DIODE

- o CW Output Power 30 W
- o Line Width 6 nm
- o 105 μ m Multi-Mode Fiber, SMA905 Connector



**LASER
DIODE
SOURCES**



940NM 30 WATT LASER DIODE

These 940nm lasers offer up to 30 watts of optical output in both pulsed and CW modes of operation. They are coupled to 105µm fiber with a NA of 0.22. These multimode devices are commonly used as pump / excitation sources for fiber laser applications.

940LD-3-0-0 / LASER-DIODE SPECIFICATIONS

Optical Specifications

Wavelength: 940nm (\pm 5nm)
CW Output Power: 30 Watts
Spectral Width (FWHM): 6 nm (typ)
Wavelength shift w Temperature: 0.3 nm/°C
Wavelength shift w Current: 0.7 nm/A
Back Reflection Isolation Stage: 1020 - 1200 nm
Back Reflection Isolation: 30 dB

Electrical Specifications

Threshold Current: 0.85 A
Operating Current: 11.5 A *
Operating Voltage: 5.0 V
Conversion Efficiency: 50%
Slope Efficiency: 2.8 W/A
* For operating currents above 6 Amps, the electrical connections must be soldered.

Fiber and Package Specifications

Fiber Core: 105 µm, NA 0.22
Clad Diameter: 125 µm
Buffer / Tube Diameter: 900 µm
Min Bend Radius: 30 mm
Connector: SMA 905
Dimensions: 25 mm x 43 mm x 11 mm
Mounting Hole Dimensions: 3.2mm dia / 20 mm x 38 mm
Storage Temperature: -30°C to 70°C
Operating Temperature: 15°C to 45°C
Soldering Temperature: 260°C (max)
Soldering Time: 10 sec (max)



Offered by
LASER LAB SOURCE



**LASER
DIODE
SOURCES**

PRODUCT SALES AND SERVICE:

Unlimited phone and email support is provided for products purchased through Laser Lab Source. Orders for this product are fulfilled by Laser Lab Source in North America and select international regions. It is manufactured by AeroDIODE, Talence, France.

PRODUCT WARRANTY:

This product is sold with a full one-year warranty. It is warranted to be free from defects in material and/or workmanship for a period of one year from the date of shipment.



Laser Lab Source, a division of Research Lab Source, Inc.
670 S. Ferguson St., Suite 3
Bozeman, MT 59718 USA

Phone: 406-219-1472

www.LaserLabSource.com

AeroDIODE

Rue François Mitterrand Institut d'Optique d'Aquitaine
33400 Talence
FRANCE