

638nm, 1800mW Coaxial Laser Diode Multi-Mode Fiber with FC/PC Connector




PN: RLS/638NM-1800MW-MMF

Wavelength: 638 nm

• Output Power: 1800 mW

• 200 μm Multi-Mode Fiber

 Standard FC/PC Connector (Inquire for other connector options)





638NM-1800MW-MMF Product Overview

This Fabry-Perot laser is offered in a coaxial fiber-coupled package. The laser is mounted in a heat-sink bracket that provides for simple mounting.


This laser is coupled to 200 μ m multi-mode fiber, NA 0.22, and terminated with an FC/PC connector. (Other options are available; inquire for options and details).

Proven Laser Diode Expertise

These high stability fiber coupled laser diodes are designed and manufactured to meet the most demanding R&D and industrial applications.

Proprietary design, packaging, and fiber coupling processes produce laser diodes with very high stability and low noise. Each laser diode is subject to extensive testing and burn-in before shipment to ensure the highest possible levels of quality and long term

reliability.





OPTICAL SPECIFICATIONS

• Output Wavelength: 638 nm ±10 nm

• Output Power: 1800 mW

• Spectral Width (FWHM): 2.0 nm

• Wavelength Temp. Coefficient: 0.2 nm/°C

· Laser Type: Fabry-Perot

FIBER SPECIFICATIONS

• Fiber Type: Multi-Mode Fiber

• Fiber Core: 200 µm

N.A.: 0.22

• Fiber Length: >80 cm

• Fiber Connector: FC/PC (Other Types Available; Inquire)

ELECTRICAL SPECIFICATIONS

Threshold Current: 0.5 A (typ)

• Operating Current: 2.5 A (typ)

• Operating Voltage: 2.4 V (typ)



PRODUCT SALES AND SERVICE:

Orders for this product are fullfilled by Laser Lab Source in North America.

PRODUCT WARRANTY:

This product is sold with a full one year warranty. It is warrantied to be free from defects in material and/or workmanship for a period of one year from the date of shipment. Warrranty does not include customer induced damage to the product through mishandling.





Laser Lab Source, a division of Research Lab Source Inc. 670 S. Ferguson St., Suite 3 Bozeman, MT 59718 USA

Phone: 800-887-5065

www.LaserLabSource.com